Glass Galore Tools and Solutions LLC

QUALITY FIRST, CUSTOMER FIRST, CREATE BRILLIANCE TOGETHER















Imported diamond wheels Size:8x10 mm D:150mm H:12,22mm G:80, 140#



Imported diamond wheels Size: 6x10mm D:150mm H:12,22mm G:80, 140,180#



Imported diamond wheels Size:6x10 mm D:150mm H:12,22mm G:80, 140,180#



Segmented diamond wheels Size:10×10, 15×10mm D:150,175mm H:12,22,50mm G:80,100,120,140,180#



Outer segmented diamond wheels Size:8×10, 12×10mm D:150,175mm H:12,22,50mm G:80,100,120,140,180#



Inner segmented diamond wheels Size:8×10mm D:150,175mm H:12,22,50mm G:140,180,240#



Diamond wheels Size: 8×12, 10×12, 15×12mm D:150mm H:12,22,50mm G:100,140,180,240#



Diamond wheels Size: 5×10,6x10,5×12mm D:150mm H:12,22mm G:100,140,180,240#



Inner segmented diamond wheels Size: 8×8, 5×10, 10×10, 15×10mm D:100,130,150,175mm H:12,22mm G:140,180,240,320#



Diamond wheels Size:5×10mm D:150mm H:120mm G:80,120,140,180,240#



Diamond wheels D:150mm H:Customized G:Customized



Diamond pencil wheels D:60,80,100,150,175,200,220mm H:22mm G.T:2-30mm G:80,150,180,240#



Imported V-engraving wheels D:140mm H:22mm T:6, 8, 10mm G: D54, D107#



Diamond V-engraving wheels D:100,150,200mm H:22mm T:6,8,10mm G:80,120,150,180,240#



Diamond wheels for CNC machine D:100,150mm H:22mm T:3,4,5,6,8,10,12,15,19mm G:80,100,120,150,180,240#



Diamond wheels for CNC machine D:100,150mm H:22,40,90mm T:15mm -G:100,150,180#



Diamond wheels for CNC machine D: 100,150mm H:22,40,90mm T:15mm G: 100,150,180#



Diamond wheels for CNC machine D:100,150mm H:22mm T:6,8,10,12,15,19mm G:100,150,180#



Diamond wheels for CNC machine D:100,150mm H:22,40,90mm T:12,15,19mm G:100,150,180#



45 Degree electroplated wheels D: 100,150mm H:22mm T: 12,15,19mm G:80,100,120,140,150,180,240#



Electroplated pencil wheels D:80,100mm H:22mm T: 3,4,5,6,8,10,12,15,19mm G:80,100,120,140,150,180,240#



Electroplated 1/4 pencil wheels D:100,150mm H:22mm T:8,10,12,15,19mm G:80,100,120,140,150,180,240#



45 Degree electroplated wheels D:100,150mm H:22mm T: 8,10,12,15,19mm G:80,100,120,140,150,180,240#



Electroplated double groove wheels D:150,200mm H:22mm T:3,4,5,6mm G:80,100,120,140,180,240#



A025

1-OG Diamond wheels D:100.150 mm H:22mm T:8.10.12.15.19mm G:80,100,120,180,240,270#



2-OG Diamond wheels D:100.150mm H:22mm T:10,12,15,19mm G:80,100,120,180,240,270#



3-OG Diamond wheels D:100.150mm H:22mm H:22mm T:10,12,15,19mm G:80,100,120,180,240,270#



45°Slope diamond wheels D:100.150 mm H:22mm T:12,15,19mm G:80.100,120,180,240,270#



45°Slope diamond wheels D:100,150mm H:22mm T:12,15,19mm G:80,100,120,180,240,270#



45°Slope diamond wheels D:100,150mm H:22mm T: 10, 12, 15, 19 G:80,100,120,180,240,270#



45°Slope diamond wheels D:100,150 mm H:22mm T:12,15,19mm G:80,100,120,180,240,270#



45°Slope diamond wheels D:100,150mm H:22mm T: 8, 10, 12, 15, 19mm G:80,100,120,180,240,270#



1/4 Diamond pencil wheels D:100,150mm H:22mm T: 8, 10, 12, 15, 19mm G:80,100,120,180,240,270#



Diamond flat with arising wheels D:100,150,175,200mm H:22mm T:4,5,6,8,10,12,15,19mm G:180,140,180,240#



Resin grinding plates D:200,250,300mm H:22,32mm T: 50,70,80,100mm G:180,240,320#



Diamond grinding plates D:80,100mm H:22mm T: 20x3mm G:80,120,240mm



Diamond flat with arising wheels Diamond pencil wheels D:80.100.150.200mm H:22mm T:3,4,5,6,8,10,12,15,19mm G:80,100,150,180,240#



D:80,100mm H:22mm T:3,4,5,6,8,10,12,15,19mm G:80.100.150.180.240#



Diamond flat edge wheels D:100.150.200mm H:22mm T:10,12,15,19mm G:80,100,150,180.240#



Diamond V-engraving wheels D:150,160 mm H:22mm T:3,4,5,6,8,10,12,15mm G:80,100,150,180,240,320#



Diamond U-engraving wheels D: 80,100,150mm H:22mm T: 3,4,5,6,8,10,12,15mm G:80,100,150,180,240,320#



Diamond flat engraving wheels H:22mm D:80.100.150mm T:3,4,5,6,8,10,12,15mm G:80,100,150,180,240,320#



Diamond V-engraving wheels D:100,150,160mm H:22mm T: 6,8,10,12,15,19mm G:80,120,150,180,240#



Diamond flat with arising wheels D:100,150mm H:22mm T:3,4,5,6,8,10,12,15,19mm G:80,100,120,150,180,240#



Diamond V-groove wheels D:130,150mm H:12mm T: Customized G:80,120,150,180,240#


Resin wheel series



Imported resin wheels Size:20×12mm D:150mm H: 12,22mm



Imported resin wheels Size:20×12mm D:150mm H:12,22mm



Imported resin wheels Size:15×10 mm D:150mm H:12,22mm



Imported resin wheels Size:15×10mm D:150mm H: 12,22mm



Imported resin wheels Size:16×10mm D:150mm H:12,22mm



Imported resin wheels Size:15×10 mm D:150mm H:12,22mm



Imported resin wheels Size:15×10mm D:150mm H: 12,22mm



Imported resin wheels Size:20×12mm D:150mm H:12,22mm



Imported two grits resin wheels Size:15×10 mm D:150mm H:12,22mm



Resin wheels Size: 10×10,15×10,15×12mm D: 100,130,150,175mm H: 12,22,50mm



Resin wheels Size: 10×10,15×10,15×12mm D: 100,130,150,175mm H: 12,22,50mm



Resin wheels Size: 10×10,15×10,15×12mm D: 100,130, 150,175mm H: 12,22,50mm

Resin wheel series



Resin wheels Size:20×10mm D:150mm H:12,22mm G:3#,4#,5#,6#,7#



Resin wheels Size:16×10mm D:150mm H:12,22mm G:3#,4#,5#,6#,7#



Resin wheels Size:16×10mm D:150mm H:12,22mm G:3#,4#,5#,6#,7#



Resin wheels Size:15×12mm D:150mm H:12,22mm G:3#,4#,5#,6#,7#



Resin wheels Size:15×12mm D:150mm H:12,22mm G:3#,4#,5#,6#,7#



Resin wheels Size:15×12mm D:150mm H:12,22mm G:3#,4#,5#,6#,7#



Resin whee Size:16×10mm D:150mm H:12,22mm G:3#,4#,5#,6#,7#



Black resin wheels Size:15×10mm D:150mm H:12,22mm G:3#,4#,5#,6#,7#



Three-band resin wheels Size:16×10mm D:150mm H:12,22mm G:3#,4#,5#,6#,7#



Three-band resin wheels Size:16×10mm D:150mm H:12,22mm G:3#,4#,5#,6#,7#



Resin wheels
Size:Customized
D:150mm H:Customized
G:Customized



Engraving resin wheels G.T: 3,4,5,6,8,10,12,15,19mm D:150mm H:22mm G:3#,4#,5#,6#,7#

Four sides wheel series




Diamond wheels for four sides edger D:150mm H:10,22mm T:15,20,25,30,35,40mm G:150,240,320mm



Diamond wheels for four sides edger D:150mm H:10,22mm T:15,20,25,30,35,40mm G:150,240,320mm



Resin wheels for four sides edger D:150mm H:10,22mm T:15,20,25,30,35,40mm G:200mm



Resin wheels for four sides edger D:150mm H:10,22mm T:40mm G:200mm



Diamond wheels for four sides edger D:160mm H:68mm T:40mm G:200mm



Diamond wheels for four sides edger D:160mm H:68mm T:40mm G:200mm



Imported AO polishing wheels D: 150mm H:50,70mm T:40mm



Germany AO polishing wheels D:150mm H:100mm T:25mm



Imported CE3 polishing wheels D:150mm H:70mm T:40mm



Imported X5000 polishing wheels D:150mm H:50,70mm T:30,40mm



Imported 10S40 polishing wheels D:130,150mm H:22,60,70mm T:30,35,40mm G:40,60,80,120#



Imported 10S60 Polishing wheels D:130,150mm H:22,60,70mm T:30,35,40mm G:40,60,80,120#



Imported 10S Polishing wheels D:130,150mm H:22,60,70mm T:35,40mm G:46,60,80,120#



England BK polishing wheels D:150mm H:100mm T:25mm G:46,60#



England BK polishing wheels D:130,150mm H:50,70mm T:35,40mm G:46,60,80,120#



X081Polishing wheels D:150mm H:50,70mm T:30,40mm



CE3 Polishing wheels D:150mm H:50,70mm T:40mm



CE3 Polishing wheels D:150mm H:50,70mm T:40mm



SD001 Polishing wheels D:150mm H:70mm T:30,40mm



SD001 Polishing wheels D:150mm H:70mm T:30,40mm



X5000 Polishing wheels D:150mm H:50,70mm T:30,40mm



X3000 Polishing wheels D:100,130,150mm H:50,60,70mm T:30,35,40mm



X5000 Polishing wheels D:100,130,150mm H:50.60.70mm T:30.35.40mm



X5000 Polishing wheels D:100,130,150mm H:50.60.70mm T:30,35,40mm



10S80 Polishing wheels D:130.150mm H:22.60.70mm T:30,35,40mm G:40,60,80,120#



10S120 Polishing wheels D:130.150mm H:22.60.70mm T:30,35,40mm G:40,60,80,120#



10S40 Polishing wheels D:130.150mm H:22.60.70mm T:40mm G:40,60,80,120#



9RS40 Polishing wheels D:130,150mm H:22,50,70mm



9RS80 Polishing wheels D:130,150mm H:22,50,70mm T: 30,35,40mm G:40,60,80,120# T: 30,35,40mm G:40,60,80,120# T: 30,35,40mm G:40,60,80,120#



9RS60 Polishing wheels D:130,150mm H:22,50,70mm



9RS80 Polishing wheels D:130,150mm H:22,50,70mm T: 30,35,40mm G:40,60,80,120#



Polyurethane wheels D:130,150mm H:22,60,70mm T:30.35.40mm G:40,60,80,120#



Polyurethane wheels D:150mm H:50,70mm T:35,40m



BK Polishing wheels D: 150,200mm H: 22,90mm

T: 15,20,25,30mm G: 46.60.80.120#



BK Polishing wheels D: 150mm H: 100mm

T: 25mm

G: 46.60.80.120#



BK Polishing wheels D: 130.150mm H: 60.70mm

T: 35,40mm

G: 46.60.80.120#



BD Polishing wheels

D: 100,130,150mm

H: 12, 22,50mm T: 30, 35,40mm



BD Polishing wheels D: 100.130.150mm

H: 12,22,50mm

T: 30.35.40mm



BD Polishing wheels D: 100,130,150mm

H: 12, 22,50mm

T: 30, 35,40mm



CNC BD Polishing wheels

D:100.150.200mm

H: 22,50,90mm

T: 15,20,25,30mm



BD Polishing wheels

D:100,150mm

H:22,50,90mm

T:15,20,25,30mm



BD Polishing wheels

D: 25,30,50mm

H: 12,22mm

T:12,20,25,30,35mm



BD Engraving wheels

D: 150,200mm H: 22,90mm

T: 30mm



D038

BD Engraving wheels D: 150,200mm H: 22,90mm

T: 30mm



45°BD Engraving wheels D:100mm H: 22mm

T: 30mm



U-shape BD Engraving wheels D: 150.165.175.200mm H: 22.40.50.90mm T: 5.6.8.10.12.15.20mm



V-shape BD Engraving wheels D: 150.165.175.200mm H: 22.40.50.90mm T: 5.6.8.10.12.15.20mm



Stone polishing wheel s D: 100.130.150mm H: 12.22.50.70mm T: 30.35.40mm



Stone polishing wheels D: 100,130,150mm H: 12.22.50.70mm T: 30.35.40mm



Stone polishing wheel D: 100,130,150mm H: 12.22.50.70mm T: 30,35,40mm



Stone polishing wheel s D: 100,130,150mm H:12.22.50.70mm T: 30.35.40mm



Stone polishing wheels D: 100,130,150mm H: 12,22,50,70mm T: 30,35,40mm



Stone polishing wheels D: 100,130,150mm H: 12,22,50,70mm T: 30,35,40mm



Stone polishing wheel s D: 100,130,150mm H:12,22,50,70mm T: 30,35,40mm



Spongy wheels D: 150,200,250,300mm H: 16,25mm T: 20,25mm G: 180,240,320#

D050 Coating deletion wheels(dry use) D: 100, 150,200mm

H: 22,50,76.2mm T: 8,10,12,15,20,25mm



Coating deletion wheels(dry use) D: 50,60,65mm H: 6mm T: 6,8,10,15,20,25,30mm

Felt wheel series



Felt wheels with polishing powder D:130,150mm H:60,70,105,115mm T:25,30,35,40mm



Felt wheels with polishing powder D: 130,150mm H: 60,70,105,115mm T: 25,30,35,40mm



Felt wheels with polishing powder D:130,150mm H:60,70,105,115mm T:25,30,35,40mm



Free polishing powder felt wheel D:100,130,150mm H:25,60,70,105mm T:25,30,35,40mm



Free polishing powder felt wheel D:100,130,150mm H:25,60,70,105mm T: 25,30,35,40mm



Free polishing powder felt wheel D:150mm H:22,70mm T: 35,40mm



Felt wheels D:100,130,150,185,200mm H:60,70,105,115mm T:25,30,35,40mm



Felt wheels D:100,130,150,185,200mm H: 60,70,105,115mm T:25,30,35,40mm



Pure felt wheels D: 70,150,200,250,300mm H:12,22,70mm T:25,30,35,40mm



Felt wheels D:100,130,150,185,200mm H:60,70,105,115mm T:25,30,35,40mm



Felt wheels D:100,130,150,185,200mm H: 60,70,105mm T: 30,35,40mm



Felt wheels D:100,130,150,185,200mm H:60,70,105,115mm T:25,30,35,40mm




Triangle ruler
Thickness:4,5, 6,8mm
Size:600, 800, 900,1000,
1200,1500,1800mm




Triangle ruler
Thickness:4,5,6,8mm
Size:600,800,900,1000,
1200,1500,1800mm




Triangle ruler
Thickness:4,5,6,8mm
Size:600,800,900,1000,
1200,1500,1800mm



R triangle ruler Thickness:4,5,6,8mm Size:600,800,900,1000, 1200,1500,1800mm




T shape ruler Thickness:4,5,6,8mm Size:600,800,900,1000, 1200, 1500,1800mm



L-square Thickness:4,5,6,8mm Size:600,800,900,1000, 1200,1500,1800mm



Parallel ruler
Size:200×200,300×300,400×400mm
This product is made of high quality materials, cutting the parallel glass of different size.



45degree triangle ruler



Corner radius cutter
High quality materials, with 2 fixed suction cup, can
adjust the range of 45mm-250mm, can also be
customized according to customer requirements.



Template for corner cut outs High quality materials, with 2 fixed suction cup, can adjust the range of 45mm-250mm, can also be customized according to customer requirements.



Adjustable triangle ru ler



Angle measuring template





Template for lateral cut outs (with scale)

Template for lateral cut outs



New pattern angle measuring template Size:600,800,1000,1200mm



Angle measuring template Size:600,800,1000,1200mm

This product is made of high-quality materials manufacturing, efficient cutting of glass is in the shape of bar, parallelogram, inclined junction, a diamond, a trapezoid, hexagon, eight angular shaped for decorative wall lamp, starts, the pattern of small greenhouse.




T shape ruler (with scale) Thickness:4,5,6,8mm Size:600.800.900.1000. 1200,1500,1800mm



1/4 Cutting ruler fan form This product is used for cutting



Round cutting ruler This product is used for precision the different size of glass sector. cutting of different size of glass.



Suction lath

Size: 500, 700, 1000, 1500, 2000, 2500, 3000, 3500mm

This product is made of high quality materials (electric board), material thickness has 8mm, 10mm, length 500mm-4500mm.




Triangle ruler (with scale) Thickness:4,5,6,8mm Size:600,800,900,1000, 1200,1500,1800mm



R shape ruler (with scale) Thickness:4,5,6,8mm Size:600,800,900,1000, 1200, 1500,1800mm



Parallel Ruler (New Model) Thickness 4,5,6,8mm Size :600,800,900,1000, 1200,1500,1800mm



T shape ruler

Glass carrying series



1000kg Sheet lifting clamp Glass thickness: 3-30mm

Weight: 29kg

Volumn: 730×210×680mm



500kg Sheet lifting clamp Glass thickness: 3-30mm

Weight: 19 kg

Volumn: 580×210×650mm



800kg Sheet lifting clamp Glass thickness: 3-25mm

Weight: 15kg

Volumn: 550×260×2600mm



800kg Sheet lifting clamp Glass thickness: 3-25mm

Weight: 15 kg

Volumn: 550×260×260mm

Glass carrying series



Forklift hanger



Glass carrying device Glass thickness: 3-30mm Max: 150kg





Glass lifting belt Length: 3000mm Max: 3000kg



1000kg sheet lifting clamp Glass thickness:3-60mm Weight:30kg Volumn:480x200x210

Glass carrying series



Glass lifting belt

Length: 2.8, 3, 3.3, 3.8m


Max: 3T, 5T, 8T



Glass lifting belt

Length: 2.8, 3, 3.3, 3.8m

Max: 3T, 5T, 8T



Glass lifting belt

Length: 2.8, 3, 3.3, 3.8m

Max: 3T, 5T, 8T



Parallel suspension beam



Imported drilling machine



Drilling machine Double rod drilling machine



Drilling machine Single rod drilling machine



Drilling machine



New small drilling machine



Small drilling machine







Drilling machine

Drilling machine

Drilling machine







Cutting machine

New imported cutting machine



Pneumatic glass chamfering machine



Pneumatic glass chamfering machine



Cutting machine



Pneumatic polishing machine



Pneumatic polishing machine



Electric polishing machine



Coating deletion machine



Coating deletion machine



Belt sander



Glass chamfering machine



Pneumatic coating deletion machine



Aluminum bar bending machine



Air belt sander



Glass scratch removal tool



Grinding machine



H032



Imported polishing machine

Polishing machine

Polishing machine







Polishing machine

Polishing machine

110V Polishing machine








Polishing machine

Polishing machine

Polishing machine



Polishing tablemachine



Shape glass cutting machine(three arms)



Round glass cutting table



Shape glass cutting table (two arms)

Glass protective tool series



1002



Protective wrist

Protective wrist

Protective wrist







Protective wrist

Protective wrist

Protective wrist







Protective wrist

Protective wrist

Protective wrist







Protective gloves

Protective gloves

Protective gloves







Protective gloves

Protective gloves

Protective gloves







Protective gloves

Protective gloves

Protective gloves

Glass protective tool series



Protective gloves



Protective gloves



Protective gloves



Protective gloves



Protective gloves



Protective gloves



Protective gloves



Protective gloves



Protective gloves



Protective glasses



Protective glasses



Protective glasses



Protective glasses



Protective glasses



Protective glasses



Protective suit



Protective hat Protective sleeve

UV series



Tin side detector



Tin side detector



Tin side detector



Imported tin side detector



Tempered glass testing light



LED UV Torch



Tempered glass testing light



V:220V 50HZ 250W



V:220V 50HZ 125W



UV lamp V:220V 50HZ 40, 80W



UV lamp V:220V 50HZ 40W



UV lamp V:220V 50H 12,16,48W

UV series



Loxeal UV glue



DDC UV glue



Bohle UV glue



6110 UV glue



UV glue



BBC UV glue



Circle cutter Length: 600,900,1200,1500,1800mm



Circle cutter Length: 600,900,1200,1500,1800mm



Oval cutter Length:600,1200,2200mm



Circle cutter Length: 600,900,1200,1500,1800mm



Circle cutter Length:400,600,800,1200,1500mm




Circle cutter Length:400,600,800,1200,1500mm



Circle cutter Length:400, 600,800,1200, 1500mm




Circle cutter Length:400,600,800,1200,1500mm



T-cutter Length:600,900,1200,1500,1800,2100mm

3-19mm



T-cutter Length:600,900,1200,1500,1800,2100mm

3-19mm




T-cutter Length:600,900,1200,1500,1800,2100mm

3-19mm




T-cutter Length:600,900,1200,1500,1800,2100mm

3-19mm



T-cutter Length:600,900,1200,1500,1800,2100mm

3-19mm




T-cutter Length:600,900,1200,1500,1800,2100mm

3-19mm



T-cutter Length:600,900,1200,1500,1800,2100mm

3-19mm



T-cutter Length:600,900,1200,1500,1800,2100mm

3-19mm



Cutter head

Glass drilling series



CNC Milling cutter L:75, 95, 105mm D: 14×4, 16×4mm T:5,6, 8, 10, 12,15mm



Milling cutter L:108mm D:10×3, 16×3, 20×(4,5)mm T: 20mm



Milling cutter L:80mm D: (10,12)×3, (14,16,18)×4, (20,22)×(4,5), (24,25,26)×(5,6)



Drill bit L: 75mm,95mm D: 3-100mm



Drill bit L:75, 95mm D: 3-100mm



Drill bit L:75,95mm D:4-150mm



Drill bit L: 75mm,95mm D: 3-100mm



CNC Milling cutter L:75, 95mm D:Customized



Drill bit L:75, 95mm D: 3-100mm

Glass drilling series



Electroplated drill bit D: 3-150mm



Diamond drill bit D: 3-150mm



Drill bit L:75, 95mm D:3-100mm



Drill bit L:75, 95mm D:3-100mm



Drill bit L:75, 95mm D: 3-150mm



Drill bit L:75, 95mm D: 3-150mm



D:Customized



L:75,95mm D:3-100mm

Glass drilling series



Countersink with slots L:75, 95mm D:0-16,0-80mm



Countersink with slots L:75,95mm D:0-16,0-80mm



Electroplated countersink D:0-15,0-60mmmm



Countersink D:5-130mm



Special diamond grinding bit D:Customized



Special diamond grinding bit D:Customized




Special grinding head D:Customized



Screw

Glass cutter&plier series



Glass cutter&plier series



Glass cutter Size:2-6, 6-12, 15-19mm



Glass cutter Size:2-6, 6-12, 15-19mm



Glass cutter Size:2-6, 6-12, 15-19mm



Glass cutter Size:2-6, 6-12, 15-19mm



Glass cutter Size:2-6, 6-12, 15-19mm



Glass cutter Size:2-6, 6-12, 15-19mm



Glass cutter Size:2-6, 6-12, 15-19mm



Glass cutter Size:2-6, 6-12, 15-19mm



Glass cutter Size:2-6, 6-12, 15-19mm



Glass cutter Size:2-6, 6-12, 15-19mm



Glass cutter Size:2-6, 6-12, 15-19mm



Glass cutter Size:2-6, 6-12, 15-19mm

Glass cutter&plier series



Glass cutter Size:2-6, 6-12, 15-19mm



Glass cutter Size:2-6, 6-12, 15-19mm



Glass cutter Size:2-6, 6-12, 15-19mm



Glass cutter Size:2-6, 6-12, 15-19mm



Glass cutter Size:2-6, 6-12, 15-19mm



Glass cutter Size:2-6, 6-12, 15-19mm



Glass cutter Size:2-6, 6-12, 15-19mm



Glass cutter Size:2-6, 6-12, 15-19mm



Glass cutter Size:2-6, 6-12, 15-19mm



Glass cutter Size:2-6, 6-12, 15-19mm



Glass cutter Size:2-6, 6-12, 15-19mm



Carving cutter Glass Size:2-6, 6-12, 15-19mm

Glass suction lifter series



Single-pad suction lifter Max: 50kg D: 123mm



Single-pad suction lifter Max: 35kg D:123mm



Single-pad suction lifter Max: 50kg D: 123mm



Pneumatic suction lifter Max: 150kg D: 206mm



Pneumatic suction lifter Max: 150kg D: 206mm



Pneumatic suction lifter Max: 100kg D: 206mm



Pneumatic suction lifter Max:150kg D: 254mm



Pneumatic suction lifter Max:120kg D: 206mm



Pneumatic suction lifter Max: 40kg D: 150mm

Glass suction lifter series



Double-pad suction lifter (best)

Max: 135kg D: 128mm



Single-pad suction lifter

Max: 150kg D: 185mm



Double-pad suction litter

Max: 135kg D: 128mm



Double-pad suction litter

Max: 100kg D: 123mm



Double-pad suction lifter (best)

Max: 135kg D: 123mm



Double-pad suction lifter Max: 100kg D: 123mm



Angle suction lifter

D: 75mm D: 56mm



Single-pad suction lifer Suction pad

Max: 15kg D: 56mm

Glass suction lifter series



Triple-pad suction lifter

Max: 155kg D: 123mm



Triple-pad suction lifter (best)

Max: 210kg D: 123mm



Triple-pad suction lifter (best) Max: 210kg D: 123mm



Triple-pad suction lifter Max: 150kg D: 123mm



Angle suction litter

Max: 35kg D: 123mm



Adjustable angle suction lifter

Max: 35kg D: 123mm

Cerium oxide polishing series





Excellent polishing for precious optical lens, LED screen, mobile LED screen ect.

Color:

White

Excellent polishing for precious optical lens, LED screen, mobile LED screen ect.

Color:

Pink





Excellent polishing for glass edging and beveling Polishing

Color:

Light-pink


Excellent polishing for glass edging and beveling Polishing

Color: Creamy-white





Normal use for glass polishing, beveling polishing, mosaic polishing Color: Creamy-white Crystal rhinestone polishing
Color: Pink




Holding rink for double edging machine



Universal wheel



Backwheels for snape edging machine



Front level, backlevel for straight line edging machine, shape edging machine



Water proof



Sucker for shape machine



Aluminium plate, holder, aluminium parts



- ①②③Square base of washing machine
- 456 Round base of washing machine
- 789 Cupule base of washing machine
- 10 11 Gear of washing machine



1.5KW 2.2KW Motor for straight/beveling machine



1.5KW 2.2KW Motor for double edging machine



1.3-1.8KW 1.8-2.2KW Motor for shape edging machine



37KW/40D Stepless speed variator



90W, 125W Pump for straight edging machine

P014



Motor of chamfering machine



90W 125W Pump for straight edging machine



Oil pump and oil separator




Timing belt



Timing belt

ABB motor



Sand grinding belt



Timing belt



Belt for motor



Washing machine link



Transportation link



Straight line edging machine link



Straight line beveling machine link



Adjustable drilling plate Size: 150 200 250 250 300mm



Pile joint



Swivel joint



Valve joint



P032

P033

P034

Imported vacuum implement Domestic vacuum implement



Vacuum generators



P035

Adjustable valve Solenoid valve



Triple

P045

Limit switch

Motor carriage



P040

Change direction valve



P042

Change direction valve



Change direction valve

Drilling machine valve P046

P043



P048

Starting switch



Reducer

AC contactor

Drilling machine cylinder

Shape edging machine cylinder

Straight ling beveling machine cylinder



Spindle for drilling machine



Pressing wheel and bracket for beveling machine



Universal drive shaft for edging machine



Universal drive shaft for beveling machine



Conveyor belt master, passive wheel pressing wheel




Double row master, passive chain wheel



Drilling machine return



Gear wheel



Brush stick Size:600,800,1000,1200, 1600, 2500mm D:55,80,100,120mm



Spongy stick Size:600,800,1000,1200, 1600, 2500mm D:55,80,100,120mm



Rubber stick Size:600,800,1000,1200, 1600, 2500mm D:55,80,100,120mm



Water proof brush Size:8,10mm



Brush stick



Clean machine rubber tube Brush



Iron sheet



Silk



Digital display



Scale fine-tuning



Corrugated digital handwheel



Twin digital hand wheel







Water chuck

Water chuck

Water chuck





P076

P077

P078

Water chuck



Water chuck




Rotary glue gun

Water chuck



Water chuck

Water chuck



Long Steam-driven soft gun Steam-driven soft gun





P085

Small-post glue gun



Sand blasting gun



Sand blasting gun



Ceramic nozzle



Tumgsten steel nozzle



Switch sand blasting gun

Sand blasting gun

Boron carbide nozzle


Tube



Polishing disc Size: 100mm G: 60, 80, 100, 120#



Polishing disc Size: 100mm G: 60, 80, 100, 120#



Polishing disc Size: 100mm G: 60, 80, 100, 120#



Polishing disc Size: 100mm G: 60, 80, 100, 120#



Grinding disc Size: 80, 100mm



Wood pad Size:80mm



Spongy wheel Size:70mm




Polishing disc G:120#220#400#600#



Imported cutting disc Size:80mm



Imported cutting disc Size:85mm



Size:100mm



Electroplated cutting disc Electroplated grinding disc Size:100mm



Cutting disc Size: 80, 85, 100mm



Electroplated cutting disc Slider Size: 50mm



Suction pad



High emperature rope



Tempring furnace apron



Scale belt



Desiccant

P106









Cutter wheel

Rubber remover for lami nated glass

cutting head

Shape cutting head










Guide wheel

Ushape cutter head

Glass cutter head

Roller









Wool felt

Grinding head

Electropiated grinding head Grinding belt









Polyurethane pad

Spongy pad

Cork(with sponge)

Cork(without sponge)









Glass breaking tool machine Glass plastic frame

Handle of polishing

Felt pad



P132





Plastic piece

Support guide wheel

Support guide wheel

Support guide wheel









Glass protective film

White corundum

Whetstone

Mirror edge sealer









Electroplated wheel

Sucker

Water pipe

Diamond hand pad









Glass protective angle

U type plastic clip

Plastic piece

Clear Plastic piece









Blasting sand G: 46, 60, 80, 100, 120#

Metal fiber

Shining powder

Glass leaded

Glass machine seri



Small drilling machine



Small drilling machine



Small drilling machine



Small drilling machine



Small drilling machine



Small drilling machine





Glass Galore Tools and Solutions LLC